


KASEI CHAIN SAW KZ-5918 CS-PRO-2S-WC 20"



TECHNICAL SPECIFICATIONS

Model	KZ-5918 CS-PRO-2S-WC
Power	2.5KW/ 9000 RPM
Displacement	54.5 CC
Tank Capacity	540ML
Oil Tank Capacity	280ML
Guide Plate Length	20 Inch
Chain Size	0.325 Inch
Weight	6.2 KG



SL NO	PART NO	DESCRIPTION	SL NO	PART NO	DESCRIPTION
1	AM-5918-CS-01	Brake Assy	17	AM-5918-CS-17	Auxiliary Lever
2	AM-5918-CS-02	Head Board Pin	18	AM-5918-CS-18	Pin
3	AM-5918-CS-03	Corrugated pin	19	AM-5918-CS-19	Brake Lever
4	AM-5918-CS-04	Baffle pin Set	20	AM-5918-CS-20	Brake Spring
5	AM-5918-CS-05	Pin	21	AM-5918-CS-21	Brake Reed
6	AM-5918-CS-06	Distansible Bolt	22	AM-5918-CS-22	Tapping screw
7	AM-5918-CS-07	Adjust Pin	23	AM-5918-CS-23	Spring Cover plate
8	AM-5918-CS-08	Tensioning Cover plate	24	AM-5918-CS-24	Stop block
9	AM-5918-CS-09	Tapping Screw	25	AM-5918-CS-25	Leading chain block
10	AM-5918-CS-10	Head Board	26	AM-5918-CS-26	Triangle right plate
11	AM-5918-CS-11	Brake Spring	27	AM-5918-CS-27	Nut
12	AM-5918-CS-12	Washer	28	AM-5918-CS-28	Little brake spring
13	AM-5918-CS-13	Split washer	29	AM-5918-CS-29	Rubber washer
14	AM-5918-CS-14	Limit Board A	30	AM-5918-CS-30	Split washer
15	AM-5918-CS-15	Spacer pin	31	AM-5918-CS-31	Split washer
16	AM-5918-CS-16	Main Lever	32	AM-5918-CS-32	Oil baffle plate

SL NO	PART NO	DESCRIPTION	SL NO	PART NO	DESCRIPTION
33	AM-5918-CS-33	Filter cover lock	50	AM-5918-CS-50	Screw
34	AM-5918-CS-34	Filter cover lock gasket	51	AM-5918-CS-51	Dust Cap
35	AM-5918-CS-35	Small cover of air filter	52	AM-5918-CS-52	Fuel tank Lid seal ring
36	AM-5918-CS-36	Big cover of air filter	53	AM-5918-CS-53	Fuel Tank Lid seal
37	AM-5918-CS-37	Screw	54	AM-5918-CS-54	Button Shaft
38	AM-5918-CS-38	Air guidance board	55	AM-5918-CS-55	Button spring
39	AM-5918-CS-39	Starter Assy	56	AM-5918-CS-56	Button
40	AM-5918-CS-40	Jacket	57	AM-5918-CS-57	Tapping screw
41	AM-5918-CS-41	Screw	58	AM-5918-CS-58	Trigger arm
42	AM-5918-CS-42	Handle Assy	59	AM-5918-CS-59	Handle gland
43	AM-5918-CS-43	Tapping screw	60	AM-5918-CS-60	Throttle operating Lever
44	AM-5918-CS-44	Fuel Pipe	61	AM-5918-CS-61	Trigger
45	AM-5918-CS-45	Clump weight	62	AM-5918-CS-62	Trigger Spring
46	AM-5918-CS-46	Fuel cleaner cover	63	AM-5918-CS-63	Pin
47	AM-5918-CS-47	Double damping	64	AM-5918-CS-64	Admitting Valve
48	AM-5918-CS-48	Fuel tank	65	AM-5918-CS-65	Fuel Balancer seat
49	AM-5918-CS-49	Damping Set			